

A service of the [U.S. National Library of Medicine](#)

and the [National Institutes of Health](#)

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search for

Database Search

name term

[Advanced Search](#)

[Save Search](#)

[Limits](#)

[Preview/Index](#)

[History](#)

[Clipboard](#)

[Details](#)

Display Show

Alt: 12

Review: 0

[Click to](#)

[change](#)

[filter](#)

[selection](#)

[through](#)

[MyNCBI](#)

One page.

Items 1

- 12 of

12

☐ 1:

[\[Identification
of porcine
reproductive
and respiratory
syndrome virus
regulation
sequence in 3'-
untranslated
region\]](#)

[Recent](#)

[Activity](#)

[Clear](#)

[Turn](#)

[Off](#)

[Characterization
of swine
infertility and
respiratory
syndrome
\(SIRS\) virus](#)

Sun Z, Wang
JY, Zhang JW,
Qin AJ, Yuan
SS.

Wai Sheng Wu

Xue Bao. 2007

Oct;47(5):774-8.

Chinese.


PMID: 16062247

[PubMed -

indexed for

MEDLINE]

[Related Articles](#)

 ²: [Peptide-conjugated morpholino oligomers inhibit porcine reproductive and respiratory syndrome virus replication.](#)

Patel D,
Opriessnig T,
Stein DA,
Halbur PG,
Meng XJ,
Iversen PL,
Zhang YJ.

Antiviral Res.

2008 Feb;77

(2):95-107. Epub

2007 Oct 4.

[\[isolate ATCC ...](#)
[Characterization of swine infertility and respiratory syndrome \(SIRS\) virus \(isolate ATCC VR-2332\).](#)



[vr 2332 \(67\)](#)

• [A nested set of six or seven subgenomic mRNAs is formed in cells infected with different i...A nested set of six or seven subgenomic mRNAs is formed in cells infected with different isolates of porcine reproductive and respiratory syndrome virus.](#)

• [Generation of an infectious clone of VR-2332, a highly virulent North American-type isolat...](#)

[Generation of an infectious clone of VR-2332, a highly virulent North American-type isolate of porcine](#)

[PubMed -

indexed for

MEDLINE]

[Related Articles](#)

[reproductive
and respiratory
syndrome virus.](#)



[prsv 5' end \(12\)
PubMed](#)

3: [Identification of
5' and 3' cis-
acting
elements of
the porcine
reproductive
and respiratory
syndrome
virus:
acquisition of
novel 5' AU-
rich sequences
restored
replication of a
5'-proximal 7-
nucleotide
deletion
mutant.](#)

Choi YJ, Yun
SI, Kang SY,
Lee YM.

J Virol. 2006

Jan;80(2):723-36.

PMID: 16376975

[PubMed -

indexed for

MEDLINE]

[Related Articles](#)

[Free article in](#)

PMC | at journal

site

☐ 4: [Molecular
characterization
of PL97-1, the
first Korean
isolate of the
porcine
reproductive
and respiratory
syndrome virus.](#)

Kang SY, Yun
SI, Park HS,
Park CK, Choi
HS, Lee YM.

Virus Res. 2004

Sep 1;104(2):165-
79.

PMID: 15246554

[PubMed -

indexed for

MEDLINE]

[Related Articles](#)

☐ 5: [High-level
expression of
the ORF6
gene of
porcine
reproductive
and respiratory
syndrome virus
\(PRRSV\) in
Pichia pastoris.](#)

Qian P, Li X,
Tong G, Chen
H.

Virus Genes.

2003 Oct;27

(2):189-96.


PMID: 14504187

[PubMed -

indexed for

MEDLINE]

[Related Articles](#)

 6: [Generation of an infectious clone of VR-2332, a highly virulent North American-type isolate of porcine reproductive and respiratory syndrome virus.](#)

Nielsen HS,

Liu G, Nielsen

J, Oleksiewicz

MB, Botner A,

Storgaard T,

Faaberg KS.

J Virol. 2003

Mar;77(6):3702-

11.

PMID: 12610145

[PubMed -

indexed for


MEDLINE]

[Related Articles](#)

[Free article in](#)

PMCID at journal

site

7: Full-length
sequence of a
Canadian
porcine
reproductive
and respiratory
syndrome virus
(PRRSV)
isolate.

Wootton S,
Yoo D, Rogan
D.

Arch Virol.

2000;145

(11):2297-323.

PMID: 11206119

{PubMed -

indexed for

MEDLINE}

Related Articles

8: Expression of
a foreign
epitope by
porcine
reproductive
and respiratory
syndrome virus.

Groot Bramel-
Verheije MH,
Rottier PJ,
Meulenbergh JJ.

Virology. 2000

Dec 20;278

(2):380-9.


PAGE: 11118361

[PubMed -

indexed for

MEDLINE]

[Related Articles](#)

 [9: Determination of the complete nucleotide sequence of a vaccine strain of porcine reproductive and respiratory syndrome virus and identification of the Nsp2 gene with a unique insertion.](#)

Shen S,
Kwang J, Liu
W, Liu DX.

Arch Virol.

2000;145(5):871-

83.

PMID: 10881675

[PubMed -

indexed for

MEDLINE]

[Related Articles](#)

☐ 10: [An RNA](#)
[helicase, RHV](#)
[-1, induced by](#)
[porcine](#)
[reproductive](#)
[and respiratory](#)
[syndrome virus](#)
[\(PRRSV\) is](#)
[mapped on](#)
[porcine](#)
[chromosome](#)
[10q13.](#)

Zhang X,
Wang C,
Schook LB,
Hawken RJ,
Rutherford MS.

Microb Pathog.
2000 May;28
(5):267-78.

PMID: 15769277

PubMed -
indexed for
MEDLINE

[Related Articles](#)

☐ 11: [Infectious](#)
[transcripts](#)
[from cloned](#)
[genome-length](#)
[cDNA of](#)
[porcine](#)
[reproductive](#)
[and respiratory](#)
[syndrome virus.](#)

Meulenberg

JJ, Bos-de
Ruijter JN, van
de Graaf R,
Wensvoort G,
Moormann RJ.

J Virol. 1998

Jan;72(1):380-7.

PMID: 9426236

PubMed -

indexed for


MEDLINE

[Related Articles](#)

[Free article in](#)

PMC | at journal

site

 12: A nested set of
six or seven
subgenomic
mRNAs is
formed in cells
infected with
different
isolates of
porcine
reproductive
and respiratory
syndrome virus.

Meng XJ, Paul
PS, Morozov I,
Halbur PG.

J Gen Virol. 1996

Jun;77 (Pt

6):1265-70.

PMID: 8683215

[PubMed -

indexed for

MEDLINE]

Related Articles

Free article at:

journal site

One page.

Items 1

- 12 of

12

Display

Summary

Show

20

Sort By

Send to

- [Write to the Help Desk](#)
 - [NCBI](#) | [NLM](#) | [NIH](#)
 - [Department of Health & Human Services](#)
- [Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)